

Regent

1010



FASHION KNITWEAR

LUMBER JACKET

Page 6.

Chest 38-44 ins. Requires 21 or 22 ozs. SIRDAR Double Knitting wool.



SKI MIST

Page 10.

38-40 in. Chest. Requires 16 ozs. of PATONS PURPLE HEATHER Fingering 4 ply wool.



SMART LINE

Page 12.

36-40 in. Chest. Requires either 23-24 ozs. FONTANA Super-Quick or 28-29 ozs. FONTANA Double Knit or Knopit wool.



VANGUARD

Page 2.

Chest 24-40 ins. Takes 9 to 19 ozs. LAVENDA Double Knitting wool.



TUNE IN

Page 9.

36-38 in. Chest. Requires 16 ozs. FONTANA 4 ply or 19 ozs. FONTANA Fleknit wool.



VICTORY

Page 4.

Chest 36-46 ins. Requires 6 to 9 ozs. Sleeveless, 11 to 15 ozs. with Sleeves, of PATONS BEEHIVE Fingering 4 ply wool.



RENOWN

Page 14.

To fit 38-42 in. Chest. Requires 21 to 22 ozs. LAVENDA Double Knitting wool.



VANGUARD

CARDIGAN

with
Neat Collar
and Pockets

Use only
PARAGON KNITTING NEEDLES

24-28in Chest Measurement

To work 26 and 28in sizes follow figures in parenthesis.

BACK: Using No. 11 needles cast on 72 (78) (84) sts and work in k 1, p 1 rib for 8 rows.

Change to No. 9 needles and stst (1st row—knit) until work measures 9½ (10) (11) ins.

Shape Armholes (Right side facing): Cast off 3 (4) (4) sts at beginning of next 2 rows, then k 2 tog at each end of next 6 (6) (6) rows. 54 (58) (64) sts.

Continue on these sts until work measures 15½ (16) (17½) ins.

Shape Shoulders (Right side facing): Cast off 8 (9) (10) sts at beginning of next 4 rows.

Cast off remaining sts.

POCKET LININGS (2 required): Using No. 9 needles cast on 17 (17) (17) sts and work in stst (1st row—knit) for 3 (3) (3) ins, ending with a knit row.

Leave these sts on a spare needle.

LEFT FRONT: Using No. 11 needles cast on 41 (45) (49) sts.

1st row: * K 1, p 1, repeat from * to last st, k 1.

2nd row: * P 1, k 1, repeat from * to last st, p 1.

Repeat last 2 rows once more.

MATERIALS:

1st	2nd	3rd	4th	5th	6th	7th	8th	9th	Size
LAVENDA DOUBLE KNITTING.									
9	9	11	13	14	15	17	19	19	ozs.

LAVENDA DOUBLE CREPE.

8	8	10	12	13	14	15	17	17	ozs.
---	---	----	----	----	----	----	----	----	------

Pair each Nos. 9 and 11 PARAGON knitting needles, 6 (6, 6, 7, 7, 7, 7, 7, 7) Buttons. 2 Safety Pins.

MEASUREMENTS:

Chest measurement.

24	26	28	30	32	34	36	38	40	ins.
----	----	----	----	----	----	----	----	----	------

Length from shoulder:

15½	16	17½	19	20½	22	23	23	23	ins.
-----	----	-----	----	-----	----	----	----	----	------

Length of undersleeve seam:

13½	14½	15½	16½	17½	18½	19	19	19	ins.
-----	-----	-----	-----	-----	-----	----	----	----	------

TENSION: 6 sts. and 8 rows equal one inch on No. 9 needles.

ABBREVIATIONS: See page 9

5th row: Rib to last 5 sts, cast off 2 sts, rib to end.

6th row: Rib 3, cast on 2 sts, rib to end.

Repeat 1st and 2nd rows once more.

Change to No. 9 needles.

Next row: Knit to last 8 sts, slip these sts on to a safety pin.

Continue in stst (1st row—purl) until work measures $4\frac{1}{2}$ ($4\frac{1}{2}$) ins.

**** Make Pocket Opening.**

Next row: K 8 (10) (12) (p 1, k 1) eight times, p 1, k 8 (10) (12).

Next row: P 8 (10) (12) (k 1, p 1) eight times, k 1, p 8 (10) (12).

Repeat last 2 rows once more.

Next row: K 8 (10) (12) cast off 17 (17) (17) sts, knit to end.

Next row: P 8 (10) (12) with right side of pocket lining to wrong side of Front, p 17 (17) (17) sts of pocket lining, purl to end.

Continue in stst until work measures $9\frac{1}{2}$ (10) (11) ins. **.

Shape Armhole and Front Edge (Right side facing):

1st row: Cast off 3 (4) (4) sts knit to last 3 sts, k 2 tog, k 1.

Continue in stst decreasing one st at armhole edge on next 6 (6) (6) rows, at the same time decreasing at Front Edge as before on following 4th row.

Continue decreasing at Front Edge as before on 2nd and every following 4th row until 16 (18) (20) sts remain.

Continue on these sts until work measures $15\frac{1}{2}$ (16) ($17\frac{1}{2}$) ins.

Shape Shoulder (Right side facing): Cast off 8 (9) (10) sts at beginning of next and alternate rows.

RIGHT FRONT: Using No. 11 needles cast on 41 (45) (49) sts and work 1st and 2nd rows as Left Front three (three) (three) times, then 1st row once.

Next row: Rib to last 8 sts, slip these sts on to a safety pin.

Change to No. 9 needles and

stst (1st row—knit) until work measures $4\frac{1}{2}$ ($4\frac{1}{2}$) ($4\frac{1}{2}$) ins.

Now work as Left Front from ** to **.

Shape Armhole and Front Edge (Right side facing):

1st row: K 1, SKPO, knit to end.

2nd row: Cast off 3 (4) (4) sts, purl to end.

Continue in stst decreasing one st at armhole edge on next 6 (6) (6) rows, at the same time decreasing at Front Edge as before on following 3rd row.

Continue decreasing at Front Edge as before on next and every following 4th row until 16 (18) (20) sts remain.

Continue on these sts until work measures $15\frac{1}{2}$ (16) ($17\frac{1}{2}$) ins.

Shape Shoulder (Wrong side facing): As Left Front.

LEFT FRONT BAND: Return to 8 sts on safety pin, rejoin wool at inside edge and using No. 11 needles work in rib making further buttonholes $1\frac{3}{4}$ ($1\frac{3}{4}$) (2) ins from base of previous buttonhole until 6 (6) (6) in all have been worked. Continue in rib increasing one st at inside edge on next and every alternate row until there are 26 (26) (26) sts on needle.

Continue on these sts until band reaches up Front to centre back of neck. Cast off.

RIGHT FRONT BAND: Work as Left Front Band omitting buttonholes.

SLEEVES: Using No. 11 needles cast on 38 (40) (42) sts and work in k 1, p 1 rib for 2 (2) ($2\frac{1}{2}$) ins.

Change to No. 9 needles and stst (1st row—knit) increasing one st at each end of 5th and every following 6th row until 58 (60) (64) sts are on needle.

Continue on these sts until work measures $13\frac{1}{2}$ ($14\frac{1}{2}$) ($15\frac{1}{2}$) ins.

Shape Head: Cast off 3 (4) (4) sts at beginning of next 2 rows, then k 2 tog at beginning of every row until 20 (20) (20) sts remain. Cast off.

30-34in Chest Measurement

To work 32 and 34in size follow figures in parenthesis.

BACK: Using No. 11 needles cast on 90 (96) (102) sts and work in k 1, p 1 rib for 8 rows.

Change to No. 9 needles and stst (1st row—knit) until work measures 12 (13) (14) ins.

Shape Armholes (Right side facing): Cast off 4 (4) (4) sts at beginning of next 2 rows, then k 2 tog at each end of next 6 (6) (6) rows. 70 (76) (82) sts. Continue on these sts until work measures 19 ($20\frac{1}{2}$) (22) in.

Shape Shoulders (Right side facing): Cast off 11 (8) (9) sts at beginning of next 4 (6) (6) rows. Cast off remaining sts.

POCKET LININGS (2 required): Using No. 9 needles cast on 19 (19) (19) sts and work in stst for $4\frac{1}{2}$ ($4\frac{1}{2}$) ($4\frac{1}{2}$) ins, ending with a knit row.

Leave these sts on a spare needle.

LEFT FRONT: Using No. 11 needles cast on 51 (55) (57) sts.

1st row: * K 1, p 1, repeat from * to last st, k 1.

2nd row: * P 1, k 1, repeat from * to last st, p 1.

Repeat last 2 rows once more.

5th row: Rib to last 5 sts, cast off 2 sts, rib to end.

6th row: Rib 3, cast on 2 sts, rib to end.

Repeat 1st and 2nd rows once more.

Change to No. 9 needles.

Next row: Knit to last 8 sts, slip these 8 sts on to a safety pin.

Continue in stst (1st row—purl) until work measures $5\frac{1}{2}$ ($5\frac{1}{2}$) ($5\frac{1}{2}$) ins.

***** Make Pocket Opening.**

Next row: K 12 (14) (15) (p 1, k 1) nine times, p 1, k 12 (14) (15).

Next row: P 12 (14) (15) (k 1, p 1) nine times, k 1, p 12 (14) (15).

Cont. on page 7

Page Three



VICTORY

IN 6 SIZES

4 Ply Classic in Stocking Stitch

THE THREE SMALLER SIZES

MATERIALS: 11 (11) (12)
 oz. Sleeves 6 (7) (8) oz.
 Sleeveless Patons Beehive
 Fingering 4 ply, Patonised,
 or 12 (12) (13) oz. Sleeves,
 7 (8) (9) oz. Sleeveless
 Patons Purple Heather Fin-
 gering 4 ply. Two No. 11
 and two No. 9 Beehive or
 Queen Bee needles, set of
 four No. 11 Queen Bee
 needles with points at
 both ends, measured by Bee-
 hive gauge.

You must use the P & B brands recommended above to be sure of a successful result.

MEASUREMENTS: To fit 36
 (38) (40) inch chest; length
 from top of shoulder, 22
 (22½) (23) ins. Sleeve
 seam, 18½ ins.

TENSION: 6½ stitches and 8½
 rows to one square inch.

ABBREVIATIONS: See page 9

FRONT: Using No. 11 needles,
 cast on 118 (124) (130) sts.

Work in k 1, p 1 rib for 3½
 ins.

Change to No. 9 needles and
 proceed in stocking stitch until
 work measures 13 (13¼) (13½)
 ins from beg, finishing at end of
 a p row.

Shape Armholes by casting off
 6 (7) (8) sts at beg of next 2
 rows. **

Continue to shape armhole and
 divide for V neck as follows:—

Next row: K 2 tog, k 51 (53)
 (55) turn. Proceed on this group
 of 52 (54) (56) sts, dec 1 st at
 armhole edge on every alt row
 until 6 (7) (8) dec in all have
 been worked at armhole edge, at
 the same time dec 1 st at neck
 edge on 2nd and every following
 4th (4th) (4th) row until armhole
 shaping has been completed.

Continue without further dec
 at armhole edge but dec at neck
 edge on every 4th (4th) (5th)
 row from previous dec until 30
 (32) (34) sts remain.

Continue on these sts until work
 measures 9 (9¼) (9½) ins from

REGENT 1010

beg of armhole shaping, finishing at armhole edge.

Shape Shoulder as follows:—

1st row: Cast off 10 (11) (11) sts, work to end.

2nd row: Work all across.

Rep these 2 rows once. Cast off.

Rejoin wool to remaining 53 (55) (57) sts and complete to match other half of Front.

BACK: Work as Front until ** is reached.

Continue to shape armholes by dec 1 st at both ends of next and every alt row until 94 (96) (98) sts remain.

Continue on these sts until work measures same as Front up to shoulder shaping.

Shape Shoulders by casting off 10 (11) (11) sts at beg of next 4 rows, then 10 (10) (12) sts at beg of following 2 rows.

Cast off.

SLEEVES: Using No. 11 needles, cast on 62 sts.

Work in k 1, p 1 rib for 3 ins.

Next row: Rib 3 (inc in next st, rib 10) 5 times, inc in next st, rib to end (68 sts).

Change to No. 9 needles and proceed in stocking stitch, inc 1 st at both ends of 5th and every following 8th (7th) (6th) row until there are 98 (102) (106) sts.

Continue on these sts until work measures 18½ ins from beg.

Shape top by casting off 3 sts at beg of next 6 rows. Dec 1 st at both ends of every row until 70 (74) (78) sts remain, then every alt row until 32 (36) (40) sts remain. Cast off 4 (5) (5) sts at beg of next 6 rows.

Cast off.

NECKBAND: Using a back-stitch seam, join shoulders of Back and Front.

Using set of No. 11 needles, with right side of work facing knit up 79 (81) (83) sts along left side of neck, knit up 1 st from centre V by picking up loop that

lies at centre of V and knitting into back of it, knit up 80 (82) (84) sts along right side of neck, finally knit up 34 (32) (30) sts across back of neck (194 (196) (198) sts).

Dec 1 st at each side of centre stitch on every round, work 10 rounds in k 1, p 1 rib.

Cast off loosely in rib.

SLEEVELESS MODEL

ARMBANDS: Using No. 11 needles, with right side of work facing, knit up 180 (184) (188) sts round armhole.

Work 8 rows in k 1, p 1 rib.

Cast off loosely in rib.

THE THREE LARGER SIZES

MATERIALS: 13 (14) (15) oz. Sleeves, 8 (9) (9) oz. Sleeveless, Patons Beehive Fingering 4 ply, Patonised, or 14 (15) (16) oz. Sleeves, 8 (9) (10) oz. Sleeveless, Patons Purple Heather Fingering 4 ply.

MEASUREMENTS: To fit 42 (44) (46) inch chest. Length from top of shoulder, 23½ (24) (24½) ins. Sleeve seam, 19 ins.

FRONT: Using No. 11 needles, cast on 138 (144) (150) sts.

Work in k 1, p 1 rib for 3½ ins.

Change to No. 9 needles and proceed in stocking stitch until work measures 13¾ (14) (14¼) ins from beg, finishing at end of a p row.

Shape armholes by casting off 7 (8) (9) sts at beg of next 2 rows **.

Continue to shape armhole and divide for V neck as follows:—

Next row: K 2 tog, k 60 (62) (64) turn. Proceed on this group of 61 (63) (65) sts, dec 1 st at armhole edge on every alt row until 9 (10) (11) dec in all have been worked at armhole edge, at the same time dec 1 st at

neck edge on 2nd and every following 4th (4th) (4th) row until armhole shaping has been completed.

Continue without further dec at armhole edge, but dec at neck edge on every 4th (5th) (5th) row from previous dec until 34 (36) (38) sts remain.

Continue on these sts until work measures 9¾ (10) (10¼) ins from beg of armhole shaping, finishing at armhole edge.

Shape Shoulder as follows:

1st row: Cast off 11 (12) (13) sts, work to end.

2nd row: Work all across.

Rep these 2 rows once. Cast off.

Rejoin wool to remaining 62 (64) (66) sts and complete to match other half of Front.

BACK: Work as Front until ** is reached.

Continue to shape armholes by dec 1 st at both ends of next and every alt row until 106 (108) (110) sts remain.

Continue on these sts until work measures same as Front up to shoulder shaping.

Shape Shoulders by casting off 11 (12) (13) sts at beg of next 4 rows, then 12 (12) (12) sts at beg of following 2 rows.

Cast off.

SLEEVES: Using No. 11 needles cast on 66 sts. Work in k 1, p 1 rib for 3 ins.

Next row: Rib 5 (inc in next st, rib 10) 5 times, inc in next st, rib to end (72 sts).

Change to No. 9 needles and proceed in stocking stitch, inc 1 st at both ends of 7th row and every following 7th (6th) (6th) row until there are 108 (112) (116) sts.

Continue on these sts until work measures 19 ins from beg.

Shape top by casting off 3 (3) (3) sts at beg of next 6 rows. Dec 1 st at both ends of every row until 82 (86) (90) sts remain, then every alt row until 40

Cont. on page 16

LUMBER JACKET

Casual and Warm
in
Double Knitting

Use only

PARAGON KNITTING NEEDLES

MATERIALS: 20 (21)oz Sirdar Double Knitting Wool, Main Shade; 1 (1)oz Contrast shade; 1 pair each No. 8 and No. 11 Paragon knitting needles. One 18 inch zip fastener, open end.

MEASUREMENTS: To fit 38-40 (42-44) in chest. Length from top of shoulder 25 (25) in. Sleeve seam 21 (22) in.

TENSION: 7 sts to 1 inch.

ABBREVIATIONS: See page 9

THE BACK: Using No. 11 needles and M shade, cast on 118 (124) sts. Work in k 1, p 1, rib for $2\frac{1}{2}$ ($2\frac{1}{2}$) ins.

Next row: P 6 (9) * inc once in the next st purlways, p 4 (4).

Rep from * to the last 7 (10) sts. Inc once in the next st. P 6 (9) sts; 140 (146) sts.

Change to No. 8 needles.

1st Patt Row: K 1, p 1 to end.

2nd Patt Row: Purl.

These two rows form patt. Repeat until work measures 16 (16) in from beg ending with the 1st patt row.

Shape Armholes: Cast off 18 (18) sts at beg of next 2 rows.



Cont in patt until work measures $24\frac{1}{2}$ ($24\frac{1}{2}$) in ending with the 1st patt row.

Shape Shoulders: Cast off 11 (12) sts at beg of next 4 (4) rows then 12 (12) sts at beg of next 2 rows.

Cast off remaining 36 (38) sts.

LEFT FRONT: ** Using No. 11 needles and M shade cast on 59 (62) sts. Work in k 1, p 1 rib for $2\frac{1}{2}$ ($2\frac{1}{2}$) ins.

Next Row: P 7 (4) * inc once in the next st purlways, p 4 (4), repeat from * to end of row; 70

(73) sts.

Change to No. 8 needles, proceed in patt rows until work measures 16 (16) in from beg. ** ending with the 2nd patt row.

Shape Armholes: Cast off 18 (18) sts at beg of next row. Cont in patt until work measures 3 (3) in from beg of armhole shaping, ending with the 1st patt row.

Shape Neck: Cast off 18 (19) sts at beg of next row. Cont in patt until work measures $24\frac{1}{2}$ ($24\frac{1}{2}$) in from beg ending with the 2nd patt row.

*** **Shape Shoulders:** Cast off 11 (12) sts at beg of next and alt row. Patt 1 row. Cast off remaining 12 (12) sts. ***.

RIGHT FRONT: Work as for left front from ** to ** ending on the right side.

Shape Armholes: Cast off 18 (18) sts at beg of next row.

Cont in patt until work measures 3 (3) in from beg of armhole shaping ending on the wrong side of work.

Shape Neck: Cast off 18 (19) sts at beg of next row. Cont in patt until work measures $24\frac{1}{2}$ (24 $\frac{1}{2}$) in from beg, ending with the 1st patt row.

Shape Shoulder: Work as left front, from *** to ***.

SLEEVES: Using No. 11 needles and M shade cast on 52 (56) sts. Work in k 1, p 1 rib for 6 (6) rows **. Do not break M shade.

Next Row: * (Use C shade). All knit.

Next 3 Rows: K 1, p 1 rib.

Break C shade.

Next Row: (Use M shade). All knit *.

Next 2 Rows: (Use M shade). K 1, p 1 rib.

Next Row: (Use C shade) All purl.

Next 3 Rows: (Use C shade). K 1, p 1 rib.

Next Row: (Use M shade). All purl.

Next 2 Rows: (Use M shade). K 1, p 1 rib.

Repeat from * to * once again. ** Using M shade work 2 more rows in k 1, p 1 rib. Break C shade.

Next Row: All purl, inc 6 (6) sts evenly along this purl row, 58 (62) sts.

Change to No. 8 needles and proceed in patt increasing 1 st at each end of 3rd row and every following 7th row; until there are 94 (98) sts. Cont in patt until work measures $24\frac{1}{2}$ (24 $\frac{1}{2}$) in.

Shape Top: Cast off 16 (16) sts at beg of next 4 (4) rows.

Cast off remaining 30 (34) sts.

TO COMPLETE: Press very lightly on wrong side, under damp cloth and hot iron. Join side and shoulder seams. Sew up the sleeve seams for 21 (22) in.

Sew the remainder of the sleeves to the 18 (18) cast off sts at the armholes. Sew the sleeve tops into position. Set zip into place.

COLLAR: Using a No. 11 needle, with right side of work facing, pick up, **not knit**, at side of neck edge (**do not use the cast off sts**) 51 (51) sts; 36 (38) sts along back of neck; and 51 (51) sts along other side of neck; 138 (140) sts.

Wrong side of work will now be facing.

Using M shade work 5 rows in k 1, p 1 rib, then work as sleeve from ** to **.

Using M shade work 3 rows in k 1, p 1 rib.

Cast off ribways.

Sew collar edges neatly along base of neck. Press all seams.

END

VANGUARD

Cont. from page 3

Repeat last 2 rows once more.

Next row: K 12 (14) (15) cast off 19 (19) (19) sts, knit to end.

Next row: P 12 (14) (15) with right side of pocket to wrong side Front, p 19 (19) (19) sts across pocket lining, purl to end.

Continue in stst until work measures 12 (13) (14) ins. ***.

Shape Armhole and Front Edge (Right side facing):

1st row: Cast off 4 (4) (4) sts, knit to last 3 sts, k 2 tog, k 1.

Continue in stst decreasing one st at armhole edge on next 6 (6) (6) rows, at the same time decreasing one st at Front Edge as before on following 4th row.

Continue decreasing at Front Edge as before on 2nd and every following 4th row until 22 (24) (27) sts remain.

REGENT 1010

Continue on these sts until work measures 19 (20 $\frac{1}{2}$) (22) ins.

Shape Shoulder (Right side facing): Cast off 11 (8) (9) sts at beginning of next and alternate row twice (three) (three) times.

RIGHT FRONT: Using No. 11 needles cast on 51 (55) (57) sts and work 1st and 2nd rows at Left Front three (three) (three) times, then 1st row once.

Next row: Rib to last 8 sts, slip these sts on to a safety pin.

Change to No. 9 needles and stst (1st row—knit) until work measures $5\frac{1}{2}$ (5 $\frac{1}{2}$) (5 $\frac{1}{2}$) ins.

Now work as Left Front from *** to ***.

Shape Armhole and Front Edge:

1st row: K 1, SKPO, knit to end.

2nd row: Cast off 4 (4) (4) sts, purl to end.

Continue in stst decreasing

one st at armhole edge on next 6 (6) (6) rows, at the same time decreasing one st at Front Edge on following 3rd row.

Continue decreasing at Front Edge as before on next and every following 4th row until 22 (24) (27) sts remain.

Continue on these sts until work measures 19 (20 $\frac{1}{2}$) (22) ins.

Shape Shoulder (wrong side facing): As Left Front.

LEFT FRONT BAND: Return to 8 sts on safety pin, rejoin wool at inside edge and using No. 11 needles work in rib making further buttonholes $1\frac{3}{4}$ (2) (2 $\frac{1}{4}$) ins from base of previous buttonhole until 7 (7) (7) in all have been worked.

Continue in rib, increasing one st at inside edge on next and every alternate row until there are 30 (32) (34) sts on needle.

Cont. on page 15

Page Seven



TUNE IN

The rib pattern gives a pleasant effect in either FONTANA 4 ply or FONTANA Fleknit Wool

Use only

PARAGON KNITTING NEEDLES

MATERIALS: 16 oz Fontana 4 ply or 19 oz Fontana Fleknit; 1 pair each Nos. 9 and 11 Paragon needles; 7 buttons.

MEASUREMENTS: Length from shoulder to lower edge, 23in; chest, 36-38in; sleeve seam, 20in.

TENSION: 7 sts to 1 inch.

ABBREVIATIONS: See page 9

Accurate results can be obtained only by using the Fontana Wool recommended

THE BACK: With the No. 11 needles cast on 126 sts and work $1\frac{1}{4}$ in in k 1, p 1 rib, inc 1 st at the end of the last row.

Change to No. 9 needles and patt thus:

1st row: * P 3, k into the front and back of next st, rep from * until 3 sts rem, p 3.

2nd row: * K 3, p 2 tog, rep from * until 3 sts rem, k 3.

These 2 rows complete the patt, cont repeating them until the work measures 15in, ending with a wrong side row.

Shape Armholes: Cast off 7 sts at the beg of the next 2 rows, then dec 1 st at both ends of the next 4 rows, then every alternate row 3 times (99 sts).

Note: Care must be taken when making all decreasings to

count the 2 twisted sts on the first patt row as 1 st.

Cont in patt without shaping until the armhole measures 8in on the straight.

Shape Shoulders: Cast off 8 sts at beg of the next 8 rows. Cast off rem sts.

RIGHT FRONT: With the No. 11 needles cast on 70 sts.

1st row: K 8 * k 1, p 1, rep from * to end of row.

2nd row: * K 1, p 1, rep from * to last 8 sts, k 8.

Rep these 2 rows until the work measures $1\frac{1}{4}$ in, ending with a row on the wrong side of the work, and inc 1 st at the beg of the last row (71 sts).

Change to patt as given for the back, but keep 8 sts at the front edge in garter st (every row k).

When the work measures 15in shape the armhole and front slope thus:

Cast off 7 sts at the arm edge at the beg of the next row, then dec 1 st at this same edge on the next four rows, then every alternate row 3 times. At the same time dec 1 st inside the front border every 4th row until 40 sts rem. When the armhole measures the same as the back shape shoulder by casting off 8 sts at the arm edge every alternate row

4 times. Cont on the rem 8 border sts for $2\frac{1}{4}$ in, cast off.

LEFT FRONT: Work as given for the Right Front with the border and all shapings at the opposite end of the needle. Make a buttonhole in the 6th and every following 16th row (7 in all) thus:

K 4, cast off 3 sts, work in patt to end of row. In the following row cast on 3 sts to replace those cast off.

SLEEVES: With the No. 11 needles cast on 62 sts and work $3\frac{1}{2}$ in in k 1, p 1 rib, inc 1 st at the end of the last row (63 sts).

Change to No. 9 needles and work in patt as given for the back inc 1 st at both ends of every 6th row until there are 107 sts on the needle. Work without shaping until the sleeve measures 20in (or length required).

Shape Top: Dec 1 st at both ends of every row until 27 sts rem. Cast off.

TO MAKE UP: Press the work very lightly with a warm iron over a damp cloth. Join shoulder seams. Sew together the two sets of border sts and join to back of neck. Sew sleeves into armholes. Sew up side and sleeve seams. Press all seams very lightly. Sew on buttons to correspond with buttonholes.

END

ABBREVIATIONS USED THROUGHOUT THIS BOOK

K, knit; P, purl; sts, stitches; Ins, inches; Tog, together WF, wool forward; Sl, slip; Stst, stocking stitch which is the smooth side of one row knit one row purl; SKPO, slip one, knit one, pass slipped stitch over; inc, increase; dec, decrease; rep, repeat; cont, continues (-ing); beg, beginning patt, pattern; tbs, through back of stitches; M, main; C, contrast; D, dark; L, light; alt, alternate; incl, inclusive;

SKI MIST

Sports Pullover with dropped shoulder line

MATERIALS: 10 oz Dark, 4 oz Light **Patons Beehive** Fingering 4 ply, Patonised, or 11 oz Dark, 5 oz Light **Patons Purple Heather** Fingering 4-ply. Two No. 11 and two No. 9 **Beehive** needles, or **Queen Bee** needles with points at both ends, measured by **Beehive** gauge. Two **Beehive** stitch-holders.

You must use the P & B brands recommended above to be sure of a successful result.

MEASUREMENTS: To fit 38-40 inch chest; length from top of shoulder, 23 $\frac{3}{4}$ ins. Sleeve seam, 19 ins.

TENSION: 6 $\frac{1}{2}$ sts and 8 $\frac{1}{2}$ rows to one square inch.

ABBREVIATIONS: See page 9

FRONT: Using No. 11 needles and Dark, cast on 114 sts.

Work in k 1, p 1 rib for 3 ins.

Next row: Rib 9, (inc in next st, rib 2) 32 times, inc in next st, rib to end (147 sts).

Change to No. 9 needles and work 10 rows in stocking stitch.

Work rows 1-19 incl. of Chart A (odd rows K, even rows P) rep

6 stitch bracketed portion across row, the odd 3 sts being worked as shown on Chart.

Proceed in spot patt as follows:

1st row: Using Dark, p.

2nd row: Using Dark, k.

3rd-5th rows: Rep 1st and 2nd rows once, then 1st row once.

6th row: K * 4D, 1L, 1D, rep from * to last 3 sts, 3D.

7th-11th rows: Rep 1st and 2nd rows twice, then 1st row once

12th row: K * 1D, 1L, 4D, rep from * to last 3 sts, 1D, 1L, 1D.

These 12 rows form the patt.



Rep rows 1-12 incl 4 times, then rows 1-11 incl once.

Mark this point with a length of coloured wool.

Work rows 1-42 incl of Chart B (odd rows K, even rows P) rep 12 stitch bracketed portion across row, the odd 3 sts being worked as shown on Chart.

Shape neck as follows:

Next row: Using Dark, k 60, k next 27 sts on to a stitch-holder, k to end. Working from Chart C (odd rows P reading from left to right, even rows k reading from right to left) proceed on first





group of 60 sts, dec 1 st at neck edge on next and every alt row until 54 sts remain.

Using Light for remainder of Front, continue on these sts until work measures $8\frac{1}{2}$ ins from point marked with lengths of coloured wool, finishing at armhole edge.

Shape Shoulder by casting off 18 sts at beg of next and every alt row until all sts are cast off.

Rejoin wool to remaining sts, and work to match first half of neck, noting that when working from Chart C, odd rows p will be read from right to left and

REGENT 1010

even rows k read from left to right.

BACK: Work as for Front until 42nd row of Chart B has been worked (147 sts). Continue on these sts until 52nd row of Chart B has been worked.

Using Light for remainder of Back, continue until work measures same as Front up to shoulder shaping, finishing at end of a p row.

Next row: Cast off 54 (1 st on needle after cast off), k 38, cast off last 54 sts. Slip 39 sts on to a stitch-holder and leave.

SLEEVES: Using No. 11 needles and Dark, cast on 60 sts.

Work in K 1, p 1 rib for $3\frac{1}{2}$ ins.

Next row: Rib 4, (inc in next st, rib 1) 26 times, inc in next st, rib to end (87 sts).

Change to No. 9 needles and work rows 1-19 incl of Chart A, inc 1 st at both ends of 7th and following 8th row.

Proceed in spot patt still inc 1 st at both ends of every 8th row from previous inc until there are 103 sts on needle.

Work 2 rows.

Next row: Using Dark increase in first st, work to last st, inc in last st, thus finishing at end of an 11th row of patt.

Working in patt as on Chart B, continue inc 1 st at both ends of 4th row following and every following 8th row as before until there are 111 sts on needle.

Continue on these sts until 52nd row of Chart B has been worked.

Using Light, cast off.

Work another Sleeve in same manner.

NECKBAND: Using a back-stitch seam join shoulders of Back and Front.

Using set of No. 11 needles and Dark, with right side of work facing knit up 102 sts round neck, including sts from stitch-holders.

Work 15 rounds in k 1, p 1 rib.

Cast off loosely in rib.

TO MAKE UP: Omitting ribbing, with wrong side of work facing block each piece by pinning out round edges. Omitting ribbing, press each piece using a hot iron and wet cloth. Using a back-stitch seam join side seams up to lengths of coloured wool. Join sleeve seams and stitch Sleeves into position. Press all seams.

END



SMART LINE

V Neck Raglan covering 36-40 inch Chest with choice of 3 wools

Use only **PARAGON KNITTING NEEDLES**

MATERIALS:

	1st Size	2nd Size	
Fontana Super-Quick	23	24	ozs.
Fontana Double Knit	28	29	ozs.
Fontana Knopnit	28	29	ozs.

1 pair each Nos. 7 and 11 Paragon Knitting Needles. 1 set of 4 Paragon No. 11 double pointed needles.

MEASUREMENTS:

Chest Measurement 36-38 (38-40) ins.
Length of Sleeve 19½ (20) ins.

TENSION: With No. 7 needles, 5½ sts to 1 inch in width.

ABBREVIATIONS: See page 9

Accurate results can be obtained only by using the Fontana Wool recommended

THE BACK: Using No. 11 needles cast on 104 (108) sts and work 3½ inches in k 2, p 2 rib, inc 1 st at both ends of the last rib row for the 2nd size only. Change to No. 7 needles and cont on these 104 (110) sts as follows:—

1st Row: P 2, * k 4, p 2; rep from * to end.

2nd Row: K 2, * p 4, k 2; rep from * to end.

Cont to rep these 2 rows until work measures 14½ in from commencement, ending with a 2nd row.

Shape Raglan Armholes: Cast off 2 sts at beg of the next 2 rows, then keeping continuity of rib patt, dec 1 st at both ends of every right side row until 32 (34) sts rem. Leave these sts on a spare needle for back neck until required.

THE FRONT: Work as given for the back until front measures

REGENT 1010

same as for back to armholes, ending with a 2nd row.

Shape Raglan Armholes: Keeping rib patt correct, cast off 2 sts at beg of the next 2 rows; 100 (106) sts.

Next Row: (rsf) Work 2 tog at beg of row, patt until 2 sts rem, work 2 tog.

Next Row: Patt to end.

Rep these 2 rows once (twice) more; 96 (100) sts.

Divide For Neck:

Next Row (rsf): Work 2 tog at armhole edge, patt across the next 46 (48) sts, turn and cont on these sts leaving rem sts for opposite side until required.

Next Row: Patt to end.

Now cont to shape armhole and neck as follows:—

1st Row: Work 2 tog at armhole edge, patt to end.

2nd Row: Patt to end.

3rd Row: Work 2 tog at armhole edge, patt until 2 sts rem at neck edge, work 2 tog.

4th Row: Patt to end.

Cont as now set, dec 1 st at armhole edge on every alternate row and 1 st at neck edge on every 4th row until 2 (1) sts rem.

For the first size, work 2 tog and fasten off.

For the 2nd size, fasten off.

With rsf, rejoin wool at neck edge to rem 48 (50) sts and patt until 2 sts rem at armhole edge, work 2 tog; 47 (49) sts.

Next Row: Patt to end.

Now cont to shape armhole and neck as follows:—

1st Row: Patt until 2 sts rem at armhole edge, work 2 tog.

2nd Row: Patt to end.

3rd Row: Work 2 tog at neck edge, patt until 2 sts rem at armhole edge, work 2 tog.

4th Row: Patt to end.

Cont as set, working to correspond with side already completed with all shapings at opposite ends of the needle.

SLEEVES: (both alike) Using No. 11 needles cast on 56 (56) sts and work $3\frac{1}{2}$ in in k 2, p 2 rib. Change to No. 7 needles and cont in the rib patt as given for back, inc 1 st at both ends of the 3rd and every following 6th row, until there are 86 (92) sts on the needle. Cont without further shaping until sleeve measures $19\frac{1}{2}$ (20) in, or length required, ending with a wrong side row.

Shape Raglan Top (rsf): Cast off 2 sts at beg of the next 2 rows, then dec 1 st at both ends of every right side row until 18 (20) sts rem, ending with a wrong side row.

Next Row (rsf): Work 2 tog twice, patt until 4 sts rem, (work 2 tog) twice.

Next Row: Work to end.

Next Row: (Work 2 tog) twice, patt until 4 sts rem, (work 2 tog) twice; 10 (12) sts.

Cast off.

NECK BAND: Sew raglan sleeves neatly into armholes. Now with rsf and using the set of double pointed needles, work for the neck as follows:—

First Size: On to the first needle, k across the 32 sts on spare needle for back neck BUT dec 1 st at beg and end of row; (30 sts). Now, on to a 2nd needle, pick up and k 65 sts evenly along shoulder and left front neck edge picking up the last st from centre front. Using a 3rd needle, pick up and k 64 sts evenly along right front neck edge and shoulder. Now work in rounds across these sts as follows:—

1st Round: 1st needle: P 2, * k 2, p 2; rep from * to end. 2nd needle: K 2, p 2 until 3 sts rem

p 2 tog tbs, k 1, 3rd needle: P 2 tog, k 2, p 2 to end.

2nd Round: 1st needle: P 2, * k 2, p 2; rep from * to end. 2nd needle: Rib until 3 sts rem, k 2 tog tbs, k 1. 3rd needle: K 2 tog, k 1, rib to end.

3rd Round: 1st needle: P 2, * k 2, p 2; rep from * to end. 2nd needle: Rib until 3 sts rem, k 2 tog tbs, k 1. 3rd needle: K 2 tog, rib to end.

4th Round: 1st needle: Rib to end. 2nd needle: Rib until 3 sts rem, p 2 tog tbs, k 1. 3rd needle: P 2 tog, p 1, rib to end.

Rep these 4 rounds once more. Cast off fairly loosely in rib.

Second Size: On to the first needle, k across the 34 sts on spare needle for back neck. Now on to a 2nd needle pick up and k 71 sts evenly along shoulder and left front neck edge, picking up the last st from centre front. Using a 3rd needle, pick up and k 70 sts evenly along right front neck edge and shoulder. Now work in rounds across these sts as follows:—

1st Round: 1st needle: K 2, * p 2, k 2; rep from * to end. 2nd needle: P 2, k 2 until 3 sts rem, p 2 tog tbs, k 1. 3rd needle: P 2 tog, k 2, p 2 to end.

2nd Round: 1st needle: K 2, * p 2, k 2; rep from * to end. 2nd needle: Rib until 3 sts rem, k 2 tog tbs, k 1. 3rd needle: K 2 tog, k 1 rib to end.

3rd Round: 1st needle: K 2, * p 2, k 2; rep from * to end. 2nd needle: Rib until 3 sts rem, k 2 tog tbs, k 1. 3rd needle: K 2 tog, rib to end.

4th Round: 1st needle: Rib to end. 2nd needle: Rib until 3 sts rem, p 2 tog tbs, k 1. 3rd needle: P 2 tog, p 1, rib to end.

Rep these 4 rounds once more. Cast off fairly loosely in rib.

TO MAKE UP: Join side and sleeve seams. Press seams.

END

RENOWN

PULLOVER

Raglan Sleeves

in

Double Knitting

Use only PARAGON KNITTING NEEDLES

MATERIALS: 21 (21) (22) oz
Lavenda Double Knitting;
19 (20) (20) oz Lavenda
Double Crepe; 1 pair each
Nos. 9 and 10 Paragon Knit-
ting needles.

MEASUREMENTS: To fit 38 (40)
(42) in chest measurement;
length from shoulder $24\frac{1}{2}$
(25) ($25\frac{1}{2}$) ins; length of
undersleeve seam $17\frac{1}{2}$
($17\frac{1}{2}$) ($17\frac{1}{2}$) in.

TENSION: $4\frac{1}{2}$ sts and 11 rows
equal one inch on No. 9
needles.

ABBREVIATIONS: See page 9

BACK: Using No. 10 needles
cast on 114 (120) (124) sts and
work in k 1, p 1 rib for 5 (5) (5)
ins.

Next row (Wrong side facing):
* Rib 3, p 2 tog, repeat from *
to last 4 (5) (4) sts, rib 2, k 2 tog
(k 2 tog, p 1, k 2 tog) (Rib 2,
k 2 tog). 91 (95) (99) sts.

Change to No. 9 needles and
commence pattern:


1st row: * WF, s 1 keeping
wool forward, k 1, repeat from
* to last st, s 1.

2nd row: K 1, * p 1, k 2 tog
repeat from * to end.

These 2 rows form the pat-
tern.

Continue in pattern until work
measures 14 (14) (14) ins from
commencement.

Page Fourteen



Shape Raglan (Right side
facing):

Next row: Pattern 6, p 2 tog
keeping wool forward, s 1, pat-
tern to last 9 sts. P 1, p 2 tog
keeping wool forward, k 1, pat-
tern to end.

Next row: Pattern 7, k 1, pat-
tern to last 7 sts, k 1, pattern to
end.

Next row: Pattern 6, p 1, pat-
tern to last 8 sts, p 1 keeping
wool forward, sl 1, k 1, pattern to
end.

Next row: Pattern 7, k 1, pat-
tern to last 7 sts, k 1, pattern to
end.

Next row: Pattern 6, p 2 tog
keeping wool forward, k 1 pattern
to last 8 sts, p 2 tog keeping wool
forward, k 1, pattern to end.

Work 3 (3) (3) rows straight
in pattern. **

Repeat last 8 rows until 37
(37) (37) sts remain.

Next row: Pattern to end.
Cast off.

FRONT: Work as Back as far
as **.

Repeat last 8 rows until 49
(49) (49) sts remain.

Next row: Pattern to end.

REGENT 1010

Shape Neck (Right side facing):

Next row: Pattern 17 (17) (17) sts, cast off 15 (15) (15) sts, pattern to end.

Next row: Pattern 17 (17) (17) sts, turn.

Still Shaping Raglan as before, decrease one st at Neck Edge at beginning of next and every following alternate row until all sts are worked off.

Return to remaining sts, rejoin wool at inside edge and work to correspond with first side.

SLEEVES: Using No. 10 needles cast on 64 (70) (74) sts and work in k 1, p 1 rib for $3\frac{1}{2}$ ($3\frac{1}{2}$) ins.

Next row (Wrong side facing):

* Rib 3, p 2 tog repeat from * to last 4 (5) (4) sts, rib 2, k 2 tog (k 2 tog, p 1, k 2 tog) (rib 2, k 2 tog). 51 (55) (59) sts.

Change to No. 9 needles and work in pattern as Back, increasing one st at each end of 9th and every following 10th row until 67 (71) (75) sts are on needle.

Continue straight in pattern until work measures $17\frac{1}{2}$ ($17\frac{1}{2}$) ins.

Shape Raglan (Right side facing): As Back until 13 (13) (13) sts remain. Cast off.

NECKBAND: Join raglan seams leaving left back seam open.

With right side of work facing, and commencing at left sleeve rejoin wool and using No. 10

needles pick up and knit 16 (16) (16) sts across top of Left Sleeve; pick up and knit 16 (16) (16) sts down left side of neck; pick up and knit 16 (16) (16) sts across front of neck; pick up and knit 16 (16) (16) sts up right side of neck; pick up and knit 16 (16) (16) sts across top of Right Sleeve; and finally pick up and knit 40 (40) (40) sts across Back of Neck. 120 (120) (120) sts. Work in k 1, p 1 rib for 9 (9) (9) rows.

Cast off in rib.

TO MAKE UP: Pin out and press each piece lightly on wrong side under a damp cloth avoiding ribbed welts. Join remaining raglan seam. Join side and sleeve seams. Press all seams. **END**

VANGUARD

Cont. from page 7

Continue on these sts until band reaches up front to centre back of neck. Cast off.

RIGHT FRONT BAND: Work as Left Front Band omitting buttonholes.

SLEEVES: Using No. 11 needles cast on 44 (44) (46) sts and work in k 1, p 1 rib for 3 (3) (3) ins.

Change to No. 9 needles and stst (1st row—knit) increasing one st at each end of 5th and every following 6th row until 68 (74) (78) sts are on needle.

Continue on these sts until work measures $16\frac{1}{2}$ ($17\frac{1}{2}$) ($18\frac{1}{2}$) in.

Shape Head: Cast off 4 (4) (4) sts at beginning of next 2 rows, then k 2 tog at beginning of every row until 30 (30) (30) sts remain. Cast off.

36-40in Chest Measurement

To work 38 and 40in sizes follow figures in parenthesis.

BACK: Using No. 11 needles cast on 108 (114) (120) sts and work in k 1, p 1 rib for 8 rows.

REGENT 1010

Change to No. 9 needles and stst (1st row—knit) until work measures 14 (14) (14) ins.

Shape Armholes (Right side facing): Cast off 6 (7) (7) sts at beginning of next 2 rows, then k 2 tog at each end of next 4 (4) (4) rows. 88 (92) (98) sts. Continue on these sts until work measures 23 (23) (23) ins.

Shape Shoulders (Right side facing): Cast off 10 (10) (11) sts at beginning of next 6 rows.

Cast off remaining sts.

POCKET LININGS (2 required): Using No. 9 needles cast on 21 (21) (21) sts and work in stst (1st row—knit) for $4\frac{1}{2}$ ($4\frac{1}{2}$) ($4\frac{1}{2}$) ins, ending with a knit row.

Leave these sts on a spare needle.

LEFT FRONT: Using No. 11 needles cast on 61 (63) (67) sts.

1st row: * K 1, p 1, repeat from * to last st, k 1.

2nd row: * P 1, k 1, repeat from * to last st, p 1.

Repeat last 2 rows once more.

5th row: Rib to last 5 sts, cast off 2 sts, rib to end.

6th row: Rib 3, cast on 2 sts, rib to end.

Repeat 1st and 2nd rows once more.

Change to No. 9 needles.

Next row: Knit to last 8 sts, slip these 8 sts on to a safety pin.

Continue in stst (1st row—purl) until work measures $5\frac{1}{2}$ ($5\frac{1}{2}$) ($5\frac{1}{2}$) ins.

**** **Make Pocket Opening.**

Next row: K 16 (17) (19) (p 1, k 1) ten times, p 1, k 16 (17) (19).

Next row: P 16 (17) (19) (k 1, p 1) ten times, k 1, p 16 (17) (19).

Repeat last 2 rows once more.

Next row: K 16 (17) (19) cast off 21 (21) (21) sts, knit to end.

Next row: P 16 (17) (19) with right side of pocket lining to wrong side of Front, p 21 (21) (21) sts of pocket lining, purl to end.

Continue in stst until work measures 14 (14) (14) ins. ****.

Shape Armhole and Front Edge (Right side facing):

1st row: Cast off 6 (7) (7) sts, knit to last 3 sts, k 2 tog, k 1.

Continue in stst decreasing one st at armhole edge on next 4 (4) (4) rows, at the same time de-

VANGUARD

creasing one st at Front Edge on following 4th row.

Continue decreasing at Front Edge as before on every following 4th row until 30 (30) (33) sts remain.

Continue on these sts until work measures 23 (23) (23) ins.

Shape Shoulder (Right side facing): Cast off 10 (10) (11) sts at beginning of next and each alternate row three times.

RIGHT FRONT: Using No. 11 needles cast on 61 (63) (67) sts and work 1st and 2nd rows as Left Front three (three) (three) times, then 1st row once more.

Next row: Rib to last 8 sts, slip these sts on to a safety pin.

Change to No. 9 needles and stst (1st row—knit) until work measures $5\frac{1}{2}$ ($5\frac{1}{2}$) ($5\frac{1}{2}$) ins. Now work as left front from **** to ****

Shape Armhole and Front Edge:

1st row: K 1, SKPO, knit to end.

2nd row: Cast off 6 (7) (7)

sts, purl to end.

Continue in stst decreasing one st at armhole edge on next 4 (4) (4) rows, at the same time decreasing one st at Front Edge as before on following 3rd row.

Continue decreasing as before at Front Edge on 3rd and every following 4th row until 30 (30) (33) sts remain.

Continue on these sts until work measures 23 (23) (23) ins.

Shape Shoulder (Wrong side facing): As Left Front.

LEFT FRONT BAND: Return to 8 st on safety pin, rejoin wool at inside edge and using No. 11 needles work in rib making further buttonholes $2\frac{1}{4}$ ($2\frac{1}{4}$) ($2\frac{1}{4}$) ins from base of previous buttonhole until 7 (7) (7) ins in all have been worked.

Continue in rib increasing one st at inside edge on next and every alternate row until there are 38 (38) (38) sts on needle.

Continue on these sts until band reaches up Front and to centre back of neck. Cast off.

RIGHT FRONT BAND: Work as Left Front Band omitting buttonholes.

SLEEVES: Using No. 11 needles cast on 50 (50) (50) sts and work in k 1, p 1 rib for $3\frac{1}{2}$ ($3\frac{1}{2}$) ($3\frac{1}{2}$) ins.

Change to No. 9 needles and stst (1st row—knit) increasing one st at each end of 5th and every following 6th row until there are 86 (86) (86) sts on needle.

Continue on these sts until work measures 19 (19) (19) ins.

Shape Head: K 2 tog at beg of every row until work measures 6 (6) (6) ins from commencement of head shaping. Cast off.

TO MAKE UP: Pin out and press each piece on wrong side under a damp cloth. Join side, shoulder and sleeve seams. Sew in sleeves placing centre of head of sleeve to shoulder seam. Sew front bands in position joining at centre back of neck. Sew pocket linings neatly in position. Sew on buttons to correspond with buttonholes. Press all seams.

END

VICTORY

Cont. from page 5

(44) (48) sts remain. Cast off 6 (6) (7) sts at beg of next 6 rows.

Cast off.

NECKBAND: Using a back-stitch seam join shoulders of Back and Front.

Using set of No. 11 needles, with right side of work facing knit up 83 (85) (87) sts along left side of neck, knit up 1 st at centre V by picking up loop that lies at

centre of V and knitting into back of it, knit up 84 (86) (88) sts along other side of neck, finally knit up 38 (36) (34) sts across back of neck 206 (208) (210) sts.

Dec 1 st at each side of centre stitch on every round, work 10 rounds in k 1, p 1 rib. Cast off loosely in rib.

SLEEVELESS MODEL

ARMBANDS: Using No. 11 needles, with right side of work

facing knit up 192 (196) (200) sts round armhole.

Work 10 rows in k 1, p 1 rib.

Cast off loosely in rib.

TO MAKE UP: Omitting k 1, p 1 rib, with wrong side of work facing block each piece by pinning out round edges. Omitting k 1, p 1 rib press each piece using a warm iron and damp cloth. Using a back-stitch seam join side and sleeve seams and stitch sleeves into position. On Sleeveless Model join Armbands. Press all seams.

END

All designs are copyright, and reproduction in whole or part, without permission is forbidden

Published and Distributed by

PARAGON ART NEEDLECRAFT LIMITED

DUNEDIN and WELLINGTON

Also in South Africa and Australia

First Printing